

Example of a sideways table:

Table 1: Results for Datasets #1 and 2.

Dataset #1, Improvement measurements													
t	Time				#NV				#CC				FBS
	t-distribution		F-value		t-distribution		F-value		t-distribution		F-value		
	UL	Mean	LL		UL	Mean	LL		UL	Mean	LL		
0.4000	-25.86	-42.59	-61.53	63.86	23.01	12.91	1.49	11.94	22.13	11.83	0.18	8.13	263.4
0.4750	19.41	8.70	-3.43	4.20	28.83	19.50	8.94	26.44	27.14	17.51	6.60	18.98	48.46
0.5500	44.12	31.93	17.09	30.03	43.27	31.07	16.23	30.77	42.06	29.49	14.2	25.03	1.07
0.5750	34.70	26.03	16.20	46.10	34.27	25.65	15.89	47.65	33.64	24.87	14.94	41.89	0.30
0.7000	34.88	26.23	16.43	46.95	28.14	18.72	8.05	24.32	29.55	20.24	9.70	26.22	0.00

Dataset #2, Improvement measurements													
t	Time				#NV				#CC				FBS
	t-distribution		F-value		t-distribution		F-value		t-distribution		F-value		
	UL	Mean	LL		UL	Mean	LL		UL	Mean	LL		
0.3500	-67.6	-92.62	-121.38	175.23	24.84	10.29	-7.06	4.98	22.39	10.15	-4.03	4.21	111.35
0.4625	13.56	0.65	-14.18	0.02	29.35	15.68	0.01	9.34	26.04	14.37	0.86	8.85	9.71
0.4875	27.85	17.08	4.70	14.3	31.3	18.01	2.14	11.95	28.34	17.04	3.94	12.83	4.57
0.5375	34.4	24.61	13.36	32.58	33.94	21.17	5.92	16.29	31.45	20.64	8.12	19.67	0.13
0.6000	36.53	28.61	19.69	64.81	37.38	27.28	15.55	37.86	34.67	26.06	16.31	46.93	0.00