

Arrays

https://www.w3schools.com/python/python_arrays.asp

Leen-Kiat Soh

Computer Science & Engineering
University of Nebraska, Lincoln, NE

Arrays

- An important “**data** structure” in programming concepts
 - **Store and organize data values in a structure**
- An array is a special variable, **which can hold more than one value at a time**
- An array can hold many values under a single name, and you can **access the values by referring to an index number**



Other important data structures include matrices, tables, datasets, lists, queues, stacks, linked lists, etc.

Arrays

- An important “**data** structure” in programming concepts
 - **Store and organize data values in a structure**
- An array is a special variable, **which can hold more than one value at a time**



Other important data structures include matrices, tables, datasets, lists, queues, stacks, linked lists, etc.

Why Arrays?

- If you have a list of items (a list of car names, for example), storing the cars in single variables could look like this:
 - `car1 = "Ford"`
`car2 = "Volvo"`
`car3 = "BMW"`
- However, what if you want to loop through the cars and find a specific one? And what if you had not 3 cars, but 300?
- The solution is an array!

Array Syntax

Example

Get the value of the first array item:

```
x = cars[0]
```

Array Syntax 2

Example

Modify the value of the first array item:

```
cars[0] = "Toyota"
```

Array Syntax 3

Example

Return the number of elements in the `cars` array:

```
x = len(cars)
```

Array Syntax 4

Example

Print each item in the `cars` array:

```
for x in cars:  
    print(x)
```


Array Syntax 5

Example

Add one more element to the `cars` array:

```
cars.append("Honda")
```

Array Syntax 7

Example

Delete the second element of the `cars` array:

```
cars.pop(1)
```

Array Syntax 8

Example

Delete the element that has the value "Volvo":

```
cars.remove("Volvo")
```

Array Methods Summary

Array Methods

Python has a set of built-in methods that you can use on lists/arrays.

Method	Description
<u>append()</u>	Adds an element at the end of the list
<u>clear()</u>	Removes all the elements from the list
<u>copy()</u>	Returns a copy of the list
<u>count()</u>	Returns the number of elements with the specified value
<u>extend()</u>	Add the elements of a list (or any iterable), to the end of the current list
<u>index()</u>	Returns the index of the first element with the specified value
<u>insert()</u>	Adds an element at the specified position
<u>pop()</u>	Removes the element at the specified position
<u>remove()</u>	Removes the first item with the specified value
<u>reverse()</u>	Reverses the order of the list
<u>sort()</u>	Sorts the list

RECALL: Nested Loops MORE

- Often times, the body of a loop is yet another loop!
 - Think about how to process data that is 2D, or 3D, or N-dimensional
 - **Can you think of an example data that has 2 dimensions?**
-
- **We will come back to this topic after we discuss arrays/lists**

Array + Loops → POWER

Array + Loops → DATA PROCESSING POWER

Example 1: Statistical Analysis

? What does this code do?
? What does each of the four
parts do?
? What does
"histogram[myList[i]] += 1" do?

```
import random

myList = []

1 [ for i in range(0,100):
    x = random.randint(0,10)
    print(i,x)
    myList.append(x)

    histogram = []

2 [ for i in range(0,10):
    histogram.append(0)
    print(histogram[i])

3 [ for i in range(0,100):
    print(i)
    histogram[myList[i]] += 1

4 [ for i in range(0,10):
    print(histogram[i])
```

Example 2: Image Processing

```
for x in range(1, len(image[i])-1):  
    for y in range(1, len(image[i][j])-1):  
        image[x][y] = int((image[x-1][y-1] + image[x][y-1] + image[x+1][y-1] +  
                            image[x-1][y] + image[x][y] + image[x+1][y] +  
                            image[x-1][y+1] + image[x][y+1] + image[x+1][y+1])/9)
```

- ? What does this code do?
- ? What does `image[x][y]` mean?

Example 2: Image Processing Brief



From <https://thecustomizewindows.com/2014/01/image-averaging-in-image-processing/>