



## Simultaneous Minimum and Maximum

CSCE423/823

Introduction  
Finding  
Minimum and  
Maximum  
Selection of  
Arbitrary  
Order Statistic

```

1 large = max(A[1], A[2])
2 small = min(A[1], A[2])
3 for i = 2 to ⌊n/2⌋ do
4     large = max(large, max(A[2i - 1], A[2i]))
5     small = min(small, min(A[2i - 1], A[2i]))
6 end
7 if n is odd then
8     large = max(large, A[n])
9     small = min(small, A[n])
10 end
11 return (large, small)

```

Algorithm 2: MinAndMax( $A, n$ )

7 / 24

## Explanation of MinAndMax

CSCE423/823

Introduction  
Finding  
Minimum and  
Maximum  
Selection of  
Arbitrary  
Order Statistic

- Idea: For each pair of values examined in the loop, to compare them directly
- For each such pair, compare the smaller one to *small* and the larger one to *large*
- Example:  $A = [8, 5, 3, 10, 4, 12, 6]$

8 / 24

## Efficiency of MinAndMax

CSCE423/823

Introduction  
Finding  
Minimum and  
Maximum  
Selection of  
Arbitrary  
Order Statistic

- How many comparisons does MinAndMax make?
- Initialization on Lines 1 and 2 requires only one comparison
- Each iteration through the loop requires one comparison between  $A[2i - 1]$  and  $A[2i]$  and then one comparison to each of *large* and *small*, for a total of three
- Lines 8 and 9 require one comparison each
- Total is at most  $1 + 3(\lfloor n/2 \rfloor - 1) + 2 \leq 3\lfloor n/2 \rfloor$ , which is better than  $2n - 3$  from finding minimum and maximum separately

9 / 24

Selection of the  $i$ th Smallest Value

CSCE423/823

Introduction  
Finding  
Minimum and  
Maximum  
Selection of  
Arbitrary  
Order Statistic  
Algorithm  
Overview  
Pseudocode  
Example  
Time Complexity  
Master Theorem

- Now to the general problem: Given  $A$  and  $i$ , return the  $i$ th smallest value in  $A$
- Obvious solution is sort and return  $i$ th element
- Time complexity is  $\Theta(n \log n)$
- Can we do better?

10 / 24

Selection of the  $i$ th Smallest Value (2)

CSCE423/823

Introduction  
Finding  
Minimum and  
Maximum  
Selection of  
Arbitrary  
Order Statistic  
Algorithm  
Overview  
Pseudocode  
Example  
Time Complexity  
Master Theorem

- New algorithm: Divide and conquer strategy
- Idea: Somehow discard a constant fraction of the current array after spending only linear time
  - If we do that, we'll get a better time complexity
  - More on this later
- Which fraction do we discard?

11 / 24

## Procedure Select

CSCE423/823

Introduction  
Finding  
Minimum and  
Maximum  
Selection of  
Arbitrary  
Order Statistic  
Algorithm  
Overview  
Pseudocode  
Example  
Time Complexity  
Master Theorem

```

1 if p == r then
2     return A[p]
3 end
4 q = Partition(A, p, r) // Like Partition in Quicksort
5 k = q - p + 1 // Size of A[p...q]
6 if i == k then
7     return A[q] // Pivot value is the answer
8 end
9 else if i < k then
10    return Select(A, p, q - 1, i) // Answer is in left subarray
11 end
12 else
13    return Select(A, q + 1, r, i - k) // Answer is in right subarray
14 end

```

Algorithm 3: Select( $A, p, r, i$ ), which returns  $i$ th smallest element from  $A[p \dots r]$ 

12 / 24



