

Computer Science & Engineering 423/823

Design and Analysis of Algorithms

Lecture 10 — Greedy Algorithms (Chapter 16)

Stephen Scott
(Adapted from Vinodchandran N. Variyam)

Spring 2010

- Greedy methods: Another optimization technique
- Similar to dynamic programming in that we examine subproblems, exploiting optimal substructure property
- Key difference: In dynamic programming we considered all possible subproblems
- In contrast, a greedy algorithm at each step commits to just one subproblem, which results in its **greedy choice** (locally optimal choice)
- Examples: Minimum spanning tree, single-source shortest paths

- Consider the problem of scheduling classes in a classroom
- Many courses are candidates to be scheduled in that room, but not all can have it (can't hold two courses at once)
- Want to maximize utilization of the room
- This is an example of the **activity selection problem**:
 - Given: Set $S = \{a_1, a_2, \dots, a_n\}$ of n proposed activities that wish to use a resource that can serve only one activity at a time
 - a_i has a **start time** s_i and a **finish time** f_i , $0 \leq s_i < f_i < \infty$
 - If a_i is scheduled to use the resource, it occupies it during the interval $[s_i, f_i) \Rightarrow$ can schedule both a_i and a_j iff $s_i \geq f_j$ or $s_j \geq f_i$ (if this happens, then we say that a_i and a_j are **compatible**)
 - Goal is to find a largest subset $S' \subseteq S$ such that all activities in S' are pairwise compatible
 - Assume that activities are sorted by finish time:

$$f_1 \leq f_2 \leq \dots \leq f_n$$

Activity Selection (2)

CSCE423/823

Introduction

Activity
Selection

Optimal
Substructure

Recursive
Definition

Greedy Choice

Recursive
Algorithm

Iterative
Algorithm

Greedy vs
Dynamic
Programming

Huffman
Coding

i	1	2	3	4	5	6	7	8	9	10	11
s_i	1	3	0	5	3	5	6	8	8	2	12
f_i	4	5	6	7	9	9	10	11	12	14	16

Sets of mutually compatible activities: $\{a_3, a_9, a_{11}\}$, $\{a_1, a_4, a_8, a_{11}\}$, $\{a_2, a_4, a_9, a_{11}\}$

Optimal Substructure of Activity Selection

CSCE423/823

Introduction

Activity
Selection

Optimal
Substructure

Recursive
Definition

Greedy Choice

Recursive
Algorithm

Iterative
Algorithm

Greedy vs
Dynamic
Programming

Huffman
Coding

- Let S_{ij} be set of activities that start after a_i finishes and that finish before a_j starts
- Let $A_{ij} \subseteq S_{ij}$ be a largest set of activities that are mutually compatible
- If activity $a_k \in A_{ij}$, then we get two subproblems: S_{ik} and S_{kj}
- If we extract from A_{ij} its set of activities from S_{ik} , we get $A_{ik} = A_{ij} \cap S_{ik}$, which is an optimal solution to S_{ik}
 - If it weren't, then we could take the better solution to S_{ik} (call it A'_{ik}) and plug its tasks into A_{ij} and get a better solution
- Thus if we pick an activity a_k to be in an optimal solution and then solve the subproblems, our optimal solution is $A_{ij} = A_{ik} \cup \{a_k\} \cup A_{kj}$, which is of size $|A_{ik}| + |A_{kj}| + 1$

- Let $c[i, j]$ be the size of an optimal solution to S_{ij}

$$c[i, j] = \begin{cases} 0 & \text{if } S_{ij} = \emptyset \\ \max_{a_k \in S_{ij}} \{c[i, k] + c[k, j] + 1\} & \text{if } S_{ij} \neq \emptyset \end{cases}$$

- We try all a_k since we don't know which one is the best choice...
- ...or do we?

Greedy Choice

CSCE423/823

Introduction

Activity
SelectionOptimal
SubstructureRecursive
Definition

Greedy Choice

Recursive
AlgorithmIterative
AlgorithmGreedy vs
Dynamic
ProgrammingHuffman
Coding

- What if, instead of trying all activities a_k , we simply chose the one with the earliest finish time of all those still compatible with the scheduled ones?
- This is a **greedy choice** in that it maximizes the amount of time left over to schedule other activities
- Let $S_k = \{a_i \in S : s_i \geq f_k\}$ be set of activities that start after a_k finishes
- If we greedily choose a_1 first (with earliest finish time), then S_1 is the only subproblem to solve

Greedy Choice (2)

CSCE423/823

Introduction

Activity
SelectionOptimal
SubstructureRecursive
Definition

Greedy Choice

Recursive
Algorithm
Iterative
AlgorithmGreedy vs
Dynamic
ProgrammingHuffman
Coding

- **Theorem:** Consider any nonempty subproblem S_k and let a_m be an activity in S_k with earliest finish time. Then a_m is in some maximum-size subset of mutually compatible activities of S_k
 - Let A_k be an optimal solution to S_k and let a_j have earliest finish time of all in A_k
 - If $a_j = a_m$, we're done
 - If $a_j \neq a_m$, then define $A'_k = A_k \setminus \{a_j\} \cup \{a_m\}$
 - Activities in A' are mutually compatible since those in A are mutually compatible and $f_m \leq f_j$
 - Since $|A'_k| = |A_k|$, we get that A'_k is a maximum-size subset of mutually compatible activities of S_k that includes a_m
- What this means is that there is an optimal solution that uses the greedy choice


```
1  $m = k + 1$ 
2 while  $m \leq n$  and  $s[m] < f[k]$  do
3      $m = m + 1$ 
4 end
5 if  $m \leq n$  then
6     return  $\{a_m\} \cup \text{RECURSIVE-ACTIVITY-}$ 
         $\text{SELECTOR}(s, f, m, n)$ 
7 else return  $\emptyset$ 
```

Algorithm 1: Recursive-Activity-Selector(s, f, k, n)

Recursive Algorithm (2)

CSCE423/823

Introduction

Activity
Selection

Optimal
Substructure


Recursive
Definition
Greedy Choice

Recursive
Algorithm

Iterative
Algorithm

Greedy vs
Dynamic
Programming

Huffman
Coding



```
1  $A = \{a_1\}$ 
2  $k = 1$ 
3 for  $m = 2$  to  $n$  do
4     if  $s[m] \geq f[k]$  then
5          $A = A \cup \{a_m\}$ 
6          $k = m$ 
7 end
8 return  $A$ 
```

Algorithm 2: Greedy-Activity-Selector(s, f, n)

What is the time complexity? What would it have been if we'd approached this as a DP problem?

Greedy vs Dynamic Programming

CSCE423/823

Introduction

Activity
SelectionGreedy vs
Dynamic
ProgrammingHuffman
Coding

- When can we get away with a greedy algorithm instead of DP?
- When we can argue that the greedy choice is part of an optimal solution, implying that we need not explore all subproblems
- Example: The **knapsack problem**
 - There are n items that a thief can steal, item i weighing w_i pounds and worth v_i dollars
 - The thief's goal is to steal a set of items weighing at most W pounds and maximizes total value
 - In the **0-1 knapsack problem**, each item must be taken in its entirety (e.g. gold bars)
 - In the **fractional knapsack problem**, the thief can take part of an item and get a proportional amount of its value (e.g. gold dust)

Greedy vs Dynamic Programming (2)

CSCE423/823

Introduction

Activity
SelectionGreedy vs
Dynamic
ProgrammingHuffman
Coding

- There's a greedy algorithm for the fractional knapsack problem
 - Sort the items by v_i/w_i and choose the items in descending order
 - Has greedy choice property, since any optimal solution lacking the greedy choice can have the greedy choice swapped in
 - Works because one can always completely fill the knapsack at the last step
- Greedy strategy does not work for 0-1 knapsack, but do have $O(nW)$ -time dynamic programming algorithm
 - Note that time complexity is *pseudopolynomial*
 - Decision problem is NP-complete

Greedy vs Dynamic Programming (3)


CSCE423/823

Introduction


Activity
Selection

Greedy vs
Dynamic
Programming


Huffman
Coding



Problem instance



0-1 (greedy is suboptimal)



Fractional

Huffman Coding

CSCE423/823

Introduction

Activity
SelectionGreedy vs
Dynamic
ProgrammingHuffman
CodingAlgorithm
Greedy Choice
Property
Optimal
Substructure
Property

- Interested in encoding a file of symbols from some alphabet
- Want to minimize the size of the file, based on the frequencies of the symbols
- A **fixed-length code** uses $\lceil \log_2 n \rceil$ bits per symbol, where n is the size of the alphabet C
- A **variable-length code** uses fewer bits for more frequent symbols

	a	b	c	d	e	f
Frequency (in thousands)	45	13	12	16	9	5
Fixed-length codeword	000	001	010	011	100	101
Variable-length codeword	0	101	100	111	1101	1100

Fixed-length code uses 300k bits, variable-length uses 224k bits

Huffman Coding (2)

CSCE423/823

Introduction



Activity
Selection

Greedy vs
Dynamic
Programming

Huffman
Coding

Algorithm
Greedy Choice
Property
Optimal
Substructure
Property

Can represent any encoding as a binary tree



If $c.freq$ = frequency of codeword and $d_T(c)$ = depth, cost of tree T is

$$B(T) = \sum_{c \in C} c.freq \cdot d_T(c)$$

Algorithm for Optimal Codes

CSCE423/823

Introduction

Activity
SelectionGreedy vs
Dynamic
ProgrammingHuffman
Coding

Algorithm

Greedy Choice
Property
Optimal
Substructure
Property

- Can get an optimal code by finding an appropriate **prefix code**, where no codeword is a prefix of another
- Optimal code also corresponds to a full binary tree
- Huffman's algorithm builds an optimal code by greedily building its tree
- Given alphabet C (which corresponds to leaves), find the two least frequent ones, merge them into a subtree
- Frequency of new subtree is the sum of the frequencies of its children
- Then add the subtree back into the set for future consideration

Algorithm for Optimal Codes (2)

CSCE423/823

Introduction

Activity
Selection

Greedy vs
Dynamic
Programming

Huffman
Coding

Algorithm

Greedy Choice
Property
Optimal
Substructure
Property

```

1   $n = |C|$ 
2   $Q = C$            // min-priority queue
3  for  $i = 1$  to  $n - 1$  do
4      allocate node  $z$ 
5       $z.left = x = \text{EXTRACT-MIN}(Q)$ 
6       $z.right = y = \text{EXTRACT-MIN}(Q)$ 
7       $z.freq = x.freq + y.freq$ 
8       $\text{INSERT}(Q, z)$ 
9  end
10 return  $\text{EXTRACT-MIN}(Q)$     // return root
    
```

Algorithm 3: Huffman(C)

Time complexity: $n - 1$ iterations, $O(\log n)$ time per iteration, total $O(n \log n)$

Algorithm for Optimal Codes (3)

CSCE423/823

Introduction







Activity
Selection

Greedy vs
Dynamic
Programming

Huffman
Coding

Algorithm

Greedy Choice
Property
Optimal
Substructure
Property



Optimal Coding Has Greedy Choice Property

CSCE423/823

Introduction

Activity
SelectionGreedy vs
Dynamic
ProgrammingHuffman
Coding
AlgorithmGreedy Choice
PropertyOptimal
Substructure
Property

- **Lemma:** Let C be an alphabet in which symbol $c \in C$ has frequency $c.freq$ and let $x, y \in C$ have lowest frequencies. Then there exists an optimal prefix code for C in which codewords for x and y have same length and differ only in the last bit.
- **Proof:** Let T be a tree representing an arbitrary optimal prefix code, and let a and b be siblings of maximum depth in T
- Assume, w.l.o.g., that $x.freq \leq y.freq$ and $a.freq \leq b.freq$
- Since x and y are the two least frequent nodes, we get $x.freq \leq a.freq$ and $y.freq \leq b.freq$
- Convert T to T' by exchanging a and x , then convert to T'' by exchanging b and y
- In T'' , x and y are siblings of maximum depth

Optimal Coding Has Greedy Choice Property (2)

CSCE423/823

Introduction

Activity
Selection


Greedy vs
Dynamic
Programming

Huffman
Coding

Algorithm

Greedy Choice
Property

Optimal
Substructure
Property



Optimal Coding Has Greedy Choice Property (3)

CSCE423/823

Introduction

Activity
Selection

Greedy vs
Dynamic
Programming

Huffman
Coding

Algorithm

Greedy Choice
Property

Optimal
Substructure
Property

Cost difference between T and T' is $B(T) - B(T')$:

$$\begin{aligned} &= \sum_{c \in C} c.freq \cdot d_T(c) - \sum_{c \in C} c.freq \cdot d_{T'}(c) \\ &= x.freq \cdot d_T(x) + a.freq \cdot d_T(a) - x.freq \cdot d_{T'}(x) - a.freq \cdot d_{T'}(a) \\ &= x.freq \cdot d_T(x) + a.freq \cdot d_T(a) - x.freq \cdot d_T(a) - x.freq \cdot d_T(x) \\ &= (a.freq - x.freq)(d_T(a) - d_T(x)) \geq 0 \end{aligned}$$

since $a.freq \geq x.freq$ and $d_T(a) \geq d_T(x)$

Similarly, $B(T') - B(T'') \geq 0$, so $B(T'') \leq B(T)$, so T'' is optimal

Optimal Coding Has Optimal Substructure Property

CSCE423/823

Introduction

Activity
SelectionGreedy vs
Dynamic
ProgrammingHuffman
CodingAlgorithmt
Greedy Choice
PropertyOptimal
Substructure
Property

- **Lemma:** Let C be an alphabet in which symbol $c \in C$ has frequency $c.freq$ and let $x, y \in C$ have lowest frequencies. Let $C' = C \setminus \{x, y\} \cup \{z\}$ and $z.freq = x.freq + y.freq$. Let T' be any tree representing an optimal prefix code for C' . Then T , which is T' with leaf z replaced by internal node with children x and y , represents an optimal prefix code for C

- **Proof:** Since $d_T(x) = d_T(y) = d_{T'}(z) + 1$,

$$\begin{aligned}x.freq \cdot d_T(x) + y.freq \cdot d_T(y) &= (x.freq + y.freq)(d_{T'}(z) + 1) \\ &= z.freq \cdot d_{T'}(z) + (x.freq + y.freq)\end{aligned}$$

Also, since $d_T(c) = d_{T'}(c)$ for all $c \in C \setminus \{x, y\}$,
 $B(T) = B(T') + x.freq + y.freq$ and
 $B(T') = B(T) - x.freq - y.freq$

Optimal Coding Has Optimal Substructure Property (2)

CSCE423/823

Introduction

Activity
Selection

Greedy vs
Dynamic
Programming

Huffman
Coding

Algorithm
Greedy Choice
Property

Optimal
Substructure
Property

- Assume that T is not optimal, i.e. $B(T'') < B(T)$ for some T''
- Assume w.l.o.g. (based on previous lemma) that x and y are siblings in T''
- In T'' , replace x , y , and their parent with z such that $z.freq = x.freq + y.freq$, to get T''' :

$$\begin{aligned}
 B(T''') &= B(T'') - x.freq - y.freq && \text{(from prev. slide)} \\
 &< B(T) - x.freq - y.freq && \text{(from } T \text{ suboptimal assumption)} \\
 &= B(T') && \text{(from prev. slide)}
 \end{aligned}$$

- This contradicts assumption that T' is optimal for C'