

Computer Science & Engineering 423/823
Design and Analysis of Algorithms

Lecture 04 — Minimum-Weight Spanning Trees (Chapter 23)


Stephen Scott
(Adapted from Vinodchandran N. Variyam)

Spring 2010

Introduction

- Given a connected, undirected graph $G = (V, E)$, a **spanning tree** is an acyclic subset $T \subseteq E$ that connects all vertices in V
 - T acyclic \Rightarrow a tree
 - T connects all vertices \Rightarrow **spans** G
- If G is weighted, then T 's weight is $w(T) = \sum_{(u,v) \in T} w(u, v)$
- A **minimum weight spanning tree** (or **minimum spanning tree**, or MST) is a spanning tree of minimum weight
 - Not necessarily unique
- Applications: anything where one needs to connect all nodes with minimum cost, e.g. wires on a circuit board or fiber cable in a network

MST Example



Kruskal's Algorithm

- Greedy algorithm: Make the locally best choice at each step
- Starts by declaring each vertex to be its own tree (so all nodes together make a forest)
- Iteratively identify the minimum-weight edge (u, v) that connects two distinct trees, and add it to the MST T , merging u 's tree with v 's tree

Pseudocode for Kruskal's Algorithm

```

1   $A = \emptyset$ 
2  for each vertex  $v \in V$  do
3    MAKE-SET( $v$ )
4  end
5  sort edges in  $E$  into nondecreasing order by weight  $w$ 
6  for each edge  $(u, v) \in E$ , taken in nondecreasing order do
7    if FIND-SET( $u$ )  $\neq$  FIND-SET( $v$ ) then
8       $A = A \cup \{(u, v)\}$ 
9      UNION( $u, v$ )
10   end
11 end
12 return  $A$ 

```

Algorithm 1: MST-Kruskal(G, w)


Pseudocode for Kruskal's Algorithm (2)

- FIND-SET(u) returns a representative element from the set (tree) that contains u
- UNION(u, v) combines u 's tree to v 's tree
- These functions are based on the **disjoint-set data structure**
- More on this later

Example (1)

CSCE423/823

Introduction
Kruskal's
Algorithm
Introduction
The Algorithm
Example
Disjoint-Set
Data Structure
Analysis
Prim's
Algorithm




7 / 18

◀ ▶ ↺ ↻ 🔍

Example (2)

CSCE423/823

Introduction
Kruskal's
Algorithm
Introduction
The Algorithm
Example
Disjoint-Set
Data Structure
Analysis
Prim's
Algorithm




8 / 18

◀ ▶ ↺ ↻ 🔍

Example (3)

CSCE423/823

Introduction
Kruskal's
Algorithm
Introduction
The Algorithm
Example
Disjoint-Set
Data Structure
Analysis
Prim's
Algorithm



9 / 18

◀ ▶ ↺ ↻ 🔍

Disjoint-Set Data Structure

CSCE423/823

Introduction
Kruskal's
Algorithm
Introduction
The Algorithm
Example
Disjoint-Set
Data Structure
Analysis
Prim's
Algorithm

- Given a **universe** $U = \{x_1, \dots, x_n\}$ of elements (e.g. the vertices in a graph G), a DSDS maintains a collection $\mathcal{S} = \{S_1, \dots, S_k\}$ of disjoint sets of elements such that
 - Each element x_i is in exactly one set S_j
 - No set S_j is empty
- Membership in sets is **dynamic** (changes as program progresses)
- Each set $S \in \mathcal{S}$ has a **representative element** $x \in S$
- Chapter 21

10 / 18

◀ ▶ ↺ ↻ 🔍

Disjoint-Set Data Structure (2)

CSCE423/823

Introduction
Kruskal's
Algorithm
Introduction
The Algorithm
Example
Disjoint-Set
Data Structure
Analysis
Prim's
Algorithm

- DSDS implementations support the following functions:
 - MAKE-SET**(x) takes element x and creates new set $\{x\}$; returns pointer to x as set's representative
 - UNION**(x, y) takes x 's set (S_x) and y 's set (S_y , assumed disjoint from S_x), merges them, destroys S_x and S_y , and returns representative for new set from $S_x \cup S_y$
 - FIND-SET**(x) returns a pointer to the representative of the unique set that contains x
- Section 21.3: can perform d D-S operations on e elements in time $O(d\alpha(e))$, where $\alpha(e) = o(\lg^* e) = o(\log \log e)$ is *very slowly growing*:

$$\alpha(e) = \begin{cases} 0 & \text{if } 0 \leq e \leq 2 \\ 1 & \text{if } e = 3 \\ 2 & \text{if } 4 \leq e \leq 7 \\ 3 & \text{if } 8 \leq e \leq 2047 \\ 4 & \text{if } 2048 \leq e \leq 16^{512} \end{cases}$$

11 / 18

◀ ▶ ↺ ↻ 🔍

Analysis of Kruskal's Algorithm

CSCE423/823

Introduction
Kruskal's
Algorithm
Introduction
The Algorithm
Example
Disjoint-Set
Data Structure
Analysis
Prim's
Algorithm

- Sorting edges takes time $O(|E| \log |E|)$
- Number of disjoint-set operations is $O(|V| + |E|)$ on $O(|V|)$ elements, which can be done in time $O((|V| + |E|) \alpha(|V|)) = O(|E| \alpha(|V|))$ since $|E| \geq |V| - 1$
- Since $\alpha(|V|) = o(\log |V|) = O(\log |E|)$, we get total time of $O(|E| \log |E|) = O(|E| \log |V|)$ since $\log |E| = O(\log |V|)$

12 / 18

◀ ▶ ↺ ↻ 🔍

Prim's Algorithm

CSCE423/823

Introduction
Kruskal's Algorithm
Prim's Algorithm
The Algorithm
Example
Analysis

- Greedy algorithm, like Kruskal's
- In contrast to Kruskal's, Prim's algorithm maintains a single tree rather than a forest
- Starts with an arbitrary tree root r
- Repeatedly finds a minimum-weight edge that is incident to a node not yet in tree

Pseudocode for Prim's Algorithm

CSCE423/823

Introduction
Kruskal's Algorithm
Prim's Algorithm
The Algorithm
Example
Analysis

```

1  A = ∅
2  for each vertex v ∈ V do
3      key[v] = ∞
4      π[v] = NIL
5  end
6  key[r] = 0
7  Q = V
8  while Q ≠ ∅ do
9      u = EXTRACT-MIN(Q)
10     for each v ∈ Adj[u] do
11         if v ∈ Q and w(u, v) < key[v] then
12             π[v] = u
13             key[v] = w(u, v)
14         end
15     end
16 end
    
```

Algorithm 2: MST-Prim(G, w, r)

Pseudocode for Prim's Algorithm (2)

CSCE423/823


Introduction
Kruskal's Algorithm
Prim's Algorithm
The Algorithm
Example
Analysis

- $key[v]$ is the weight of the minimum weight edge from v to any node already in MST
- EXTRACT-MIN uses a **minimum heap** (minimum priority queue) data structure
 - Binary tree where the key at each node is \leq keys of its children
 - Thus minimum value always at top
 - Any subtree is also a heap
 - Height of tree is $\lfloor \lg n \rfloor$
 - Can build heap on n elements in $O(n)$ time
 - After returning the minimum, can filter new minimum to top in time $O(\log n)$
 - Based on Chapter 6

Example (1)

CSCE423/823


Introduction
Kruskal's Algorithm
Prim's Algorithm
The Algorithm
Example
Analysis



Example (2)

CSCE423/823

Introduction
Kruskal's Algorithm
Prim's Algorithm
The Algorithm
Example
Analysis



Analysis of Prim's Algorithm

CSCE423/823

Introduction
Kruskal's Algorithm
Prim's Algorithm
The Algorithm
Example
Analysis

- **Invariant:** Prior to each iteration of the while loop:
 - Nodes already in MST are exactly those in $V \setminus Q$
 - For all vertices $v \in Q$, if $\pi[v] \neq \text{NIL}$, then $key[v] < \infty$ and $key[v]$ is the weight of the lightest edge that connects v to a node already in the tree
- Time complexity:
 - Building heap takes time $O(|V|)$
 - Make $|V|$ calls to EXTRACT-MIN, each taking time $O(\log |V|)$
 - For loop iterates $O(|E|)$ times
 - In for loop, need constant time to check for queue membership and $O(\log |V|)$ time for decreasing v 's key and updating heap
 - Yields total time of $O(|V| \log |V| + |E| \log |V|) = O(|E| \log |V|)$
 - Can decrease total time to $O(|E| + |V| \log |V|)$ using Fibonacci heaps