

Computer Science & Engineering 423/823 Design and Analysis of Algorithms

Lecture 05 — Single-Source Shortest Paths (Chapter 24)

Stephen Scott
(Adapted from Vinodchandran N. Variyam)

Spring 2010

Introduction

- Given a weighted, directed graph $G = (V, E)$ with weight function $w : E \rightarrow \mathbb{R}$
- The **weight** of path $p = \langle v_0, v_1, \dots, v_k \rangle$ is the sum of the weights of its edges:

$$w(p) = \sum_{i=1}^k w(v_{i-1}, v_i)$$

- Then the **shortest-path weight** from u to v is

$$\delta(u, v) = \begin{cases} \min\{w(p) : u \xrightarrow{p} v\} & \text{if there is a path from } u \text{ to } v \\ \infty & \text{otherwise} \end{cases}$$

- A **shortest path** from u to v is any path p with weight $w(p) = \delta(u, v)$
- Applications:** Network routing, driving directions

Types of Shortest Path Problems

Given G as described earlier,

- Single-Source Shortest Paths:** Find shortest paths from **source** node s to every other node
- Single-Destination Shortest Paths:** Find shortest paths from every node to **destination** t
 - Can solve with SSSP solution. How?
- Single-Pair Shortest Path:** Find shortest path from specific node u to specific node v
 - Can solve via SSSP; no asymptotically faster algorithm known
- All-Pairs Shortest Paths:** Find shortest paths between every pair of nodes
 - Can solve via repeated application of SSSP, but can do better



Optimal Substructure of a Shortest Path

- The shortest paths problem has the **optimal substructure property**:
If $p = \langle v_0, v_1, \dots, v_k \rangle$ is a SP from v_0 to v_k , then for $0 \leq i \leq j \leq k$, $p_{ij} = \langle v_i, v_{i+1}, \dots, v_j \rangle$ is a SP from v_i to v_j
- Proof:** Let $p = v_0 \xrightarrow{p_{0i}} v_i \xrightarrow{p_{ij}} v_j \xrightarrow{p_{jk}} v_k$ with weight $w(p) = w(p_{0i}) + w(p_{ij}) + w(p_{jk})$. If there exists a path p'_{ij} from v_i to v_j with $w(p'_{ij}) < w(p_{ij})$, then p is not a SP since $v_0 \xrightarrow{p_{0i}} v_i \xrightarrow{p'_{ij}} v_j \xrightarrow{p_{jk}} v_k$ has less weight than p
- This property helps us to use a greedy algorithm for this problem

Negative-Weight Edges (1)

- What happens if the graph G has edges with negative weights?
- Dijkstra's algorithm cannot handle this, Bellman-Ford can, under the right circumstances (which circumstances?)

Negative-Weight Edges (2)



-

- ◀ ◻ ▶ ◀ ◻ ▶ ◀ ≡ ▶ ◀ ≡ ▶ ≡ ≡ ≡ ≡ ≡ ≡

◀ ◻ ▶ ◀ ◻ ▶ ◀ ≡ ▶ ◀ ≡ ▶ ≡ 🔍 ↺

◀ ◻ ▶ ◀ ◻ ▶ ◀ ≡ ▶ ◀ ≡ ▶ ≡ ↺ 🔍 ↻



- ◀ ◻ ▶ ◀ ▣ ▶ ◀ ≡ ▶ ◀ ≡ ▶ ≡ 🔍 ↺

Pseudocode for Bellman-Ford Algorithm


```

1 INITIALIZE-SINGLE-SOURCE( $G, s$ )
2 for  $i = 1$  to  $|V| - 1$  do
3   for each edge  $(u, v) \in E$  do
4     RELAX( $u, v$ )
5   end
6 end
7 for each edge  $(u, v) \in E$  do
8   if  $d[v] > d[u] + w(u, v)$  then
9     return FALSE //  $G$  has a negative-wt cycle
10  end
11 end
12 return TRUE //  $G$  has no neg-wt cycle reachable frm  $s$ 

```

Algorithm 3: Bellman-Ford(G, w, s)


Bellman-Ford Algorithm Example (1)



Within each pass, edges relaxed in this order:

$(t, x), (t, y), (t, z), (x, t), (y, x), (y, z), (z, x), (z, s), (s, t), (s, y)$

Bellman-Ford Algorithm Example (2)



Within each pass, edges relaxed in this order:

$(t, x), (t, y), (t, z), (x, t), (y, x), (y, z), (z, x), (z, s), (s, t), (s, y)$

Time Complexity of Bellman-Ford Algorithm

- INITIALIZE-SINGLE-SOURCE takes how much time?
- RELAX takes how much time?
- What is time complexity of relaxation steps (nested loops)?
- What is time complexity of steps to check for negative-weight cycles?
- What is total time complexity?

Correctness of Bellman-Ford Algorithm

- Assume no negative-weight cycles
- Since no cycles appear in SPs, every SP has at most $|V| - 1$ edges
- Then define sets $S_0, S_1, \dots, S_{|V|-1}$:

$$S_k = \{v \in V : \exists s \rightsquigarrow v \text{ s.t. } \delta(s, v) = w(p) \text{ and } |p| \leq k\}$$

- **Loop invariant:** After i th iteration of outer relaxation loop (Line 2), for all $v \in S_i$, we have $d[v] = \delta(s, v)$
 - Can prove via induction
- Implies that, after $|V| - 1$ iterations, $d[v] = \delta(s, v)$ for all $v \in V = S_{|V|-1}$

Correctness of Bellman-Ford Algorithm (2)

- Let $c = \langle v_0, v_1, \dots, v_k = v_0 \rangle$ be neg-weight cycle reachable from s :

$$\sum_{i=1}^k w(v_{i-1}, v_i) < 0$$

- If algorithm incorrectly returns TRUE, then (due to Line 8) for all nodes in the cycle ($i = 1, 2, \dots, k$),

$$d[v_i] \leq d[v_{i-1}] + w(v_{i-1}, v_i)$$

- By summing, we get

$$\sum_{i=1}^k d[v_i] \leq \sum_{i=1}^k d[v_{i-1}] + \sum_{i=1}^k w(v_{i-1}, v_i)$$

- Since $v_0 = v_k$, $\sum_{i=1}^k d[v_i] = \sum_{i=1}^k d[v_{i-1}]$
- This implies that $0 \leq \sum_{i=1}^k w(v_{i-1}, v_i)$, a contradiction

SSSPs in Directed Acyclic Graphs


CSCE423/823

Introduction
Bellman-Ford Algorithm
SSSPs in Directed Acyclic Graphs
The Algorithm
Example Analysis
Dijkstra's Algorithm

Difference Constraints and Shortest Paths

19 / 36

- Why did Bellman-Ford have to run $|V| - 1$ iterations of edge relaxations?
- To confirm that SP information fully propagated to all nodes



- What if we knew that, after we relaxed an edge just once, we would be completely done with it?
- Can do this if G a dag and we relax edges in correct order (what order?)

Navigation icons: back, forward, search, etc.

Pseudocode for SSSP in dags

CSCE423/823

Introduction
Bellman-Ford Algorithm
SSSPs in Directed Acyclic Graphs
The Algorithm
Example Analysis
Dijkstra's Algorithm

Difference Constraints and Shortest Paths

20 / 36

```

1 topologically sort the vertices of  $G$ 
2 INITIALIZE-SINGLE-SOURCE( $G, s$ )
3 for each vertex  $u \in V$ , taken in topo sorted order do
4   for each  $v \in Adj[u]$  do
5     RELAX( $u, v, w$ )
6   end
7 end

```

Algorithm 4: Dag-Shortest-Paths(G, w, s)


Navigation icons: back, forward, search, etc.

SSSP dag Example (1)

CSCE423/823

Introduction
Bellman-Ford Algorithm
SSSPs in Directed Acyclic Graphs
The Algorithm
Example Analysis
Dijkstra's Algorithm
Difference Constraints and Shortest Paths

21 / 36




Navigation icons: back, forward, search, etc.

SSSP dag Example (2)

CSCE423/823

Introduction
Bellman-Ford Algorithm
SSSPs in Directed Acyclic Graphs
The Algorithm
Example Analysis
Dijkstra's Algorithm
Difference Constraints and Shortest Paths

22 / 36



Navigation icons: back, forward, search, etc.

Time Complexity of SSSP in dag

CSCE423/823

Introduction
Bellman-Ford Algorithm
SSSPs in Directed Acyclic Graphs
The Algorithm
Example Analysis
Dijkstra's Algorithm
Difference Constraints and Shortest Paths

23 / 36

- Topological sort takes how much time?
- INITIALIZE-SINGLE-SOURCE takes how much time?
- How many calls to RELAX?
- What is total time complexity?

Navigation icons: back, forward, search, etc.

Dijkstra's Algorithm

CSCE423/823

Introduction
Bellman-Ford Algorithm
SSSPs in Directed Acyclic Graphs
The Algorithm
Example Analysis
Dijkstra's Algorithm
Difference Constraints and Shortest Paths

24 / 36

- Faster than Bellman-Ford
- Requires all edge weights to be nonnegative
- Maintains set S of vertices whose final shortest path weights from s have been determined
 - Repeatedly select $u \in V \setminus S$ with minimum SP estimate, add u to S , and relax all edges leaving u
- Uses min-priority queue

Navigation icons: back, forward, search, etc.

Pseudocode for Dijkstra's Algorithm

```


1 INITIALIZE-SINGLE-SOURCE( $G, s$ )
2  $S = \emptyset$ 
3  $Q = V$ 
4 while  $Q \neq \emptyset$  do
5    $u = \text{EXTRACT-MIN}(Q)$ 
6    $S = S \cup \{u\}$ 
7   for each  $v \in \text{Adj}[u]$  do
8      $\text{RELAX}(u, v, w)$ 
9   end
10 end

```

Algorithm 5: Dijkstra(G, w, s)


Dijkstra's Algorithm Example (1)

CSCE423/823



Dijkstra's Algorithm Example (2)

CSCE423/823



Time Complexity of Dijkstra's Algorithm

CSCE423/823

- Using array to implement priority queue,
 - INITIALIZE-SINGLE-SOURCE takes how much time?
 - What is time complexity to create Q ?
 - How many calls to EXTRACT-MIN?
 - What is time complexity of EXTRACT-MIN?
 - How many calls to RELAX?
 - What is time complexity of RELAX?
 - What is total time complexity?
- Using heap to implement priority queue, what are the answers to the above questions?
- When might you choose one queue implementation over another?

Correctness of Dijkstra's Algorithm

CSCE423/823

- Invariant:** At the start of each iteration of the while loop, $d[v] = \delta(s, v)$ for all $v \in S$
 - Prove by contradiction (p. 660)
- Since all vertices eventually end up in S , get correctness of the algorithm

Linear Programming

CSCE423/823

- Given an $m \times n$ matrix A and a size- m vector b and a size- n vector c , find a vector x of n elements that maximizes $\sum_{i=1}^n c_i x_i$ subject to $Ax \leq b$
- E.g. $c = [2 \ -3]$, $A = \begin{bmatrix} 1 & 1 \\ 1 & -2 \\ -1 & 0 \end{bmatrix}$, $b = \begin{bmatrix} 22 \\ 4 \\ -8 \end{bmatrix}$ implies:
 maximize $2x_1 - 3x_2$ subject to

$$\begin{aligned} x_1 + x_2 &\leq 22 \\ x_1 - 2x_2 &\leq 4 \\ x_1 &\geq 8 \end{aligned}$$
- Solution: $x_1 = 16$, $x_2 = 6$

Difference Constraints and Feasibility

CSCE423/823

Introduction
Bellman-Ford
Algorithm
SSSPs in
Directed
Acyclic Graphs
Dijkstra's
Algorithm
Difference
Constraints
and Shortest
Paths
Linear
Programming
Difference
Constraints and
Feasibility
Constraint
Graphs
Solving
Feasibility with
Bellman-Ford

- **Decision version of this problem:** No objective function to maximize; simply want to know if there exists a **feasible solution**, i.e. an x that satisfies $Ax \leq b$
- Special case is when each row of A has exactly one 1 and one -1 , resulting in a set of **difference constraints** of the form

$$x_j - x_i \leq b_k$$

- **Applications:** Any application in which a certain amount of time must pass between events (x variables represent times of events)

◀ ▶ ↺ ↻ 🔍

Difference Constraints and Feasibility (2)

CSCE423/823

Introduction
Bellman-Ford
Algorithm
SSSPs in
Directed
Acyclic Graphs
Dijkstra's
Algorithm
Difference
Constraints
and Shortest
Paths
Linear
Programming
Difference
Constraints and
Feasibility
Constraint
Graphs
Solving
Feasibility with
Bellman-Ford

$$A = \begin{bmatrix} 1 & -1 & 0 & 0 & 0 \\ 1 & 0 & 0 & 0 & -1 \\ 0 & 1 & 0 & 0 & -1 \\ -1 & 0 & 1 & 0 & 0 \\ -1 & 0 & 0 & 1 & 0 \\ 0 & 0 & -1 & 1 & 0 \\ 0 & 0 & -1 & 0 & 1 \\ 0 & 0 & 0 & -1 & 1 \end{bmatrix} \text{ and } b = \begin{bmatrix} 0 \\ -1 \\ 1 \\ 5 \\ 4 \\ -1 \\ -3 \\ -3 \end{bmatrix}$$

◀ ▶ ↺ ↻ 🔍

Difference Constraints and Feasibility (3)

CSCE423/823

Introduction
Bellman-Ford
Algorithm
SSSPs in
Directed
Acyclic Graphs
Dijkstra's
Algorithm
Difference
Constraints
and Shortest
Paths
Linear
Programming
Difference
Constraints and
Feasibility
Constraint
Graphs
Solving
Feasibility with
Bellman-Ford

Is there a setting for x_1, \dots, x_5 satisfying:

$$\begin{aligned} x_1 - x_2 &\leq 0 \\ x_1 - x_5 &\leq -1 \\ x_2 - x_5 &\leq 1 \\ x_3 - x_1 &\leq 5 \\ x_4 - x_1 &\leq 4 \\ x_4 - x_3 &\leq -1 \\ x_5 - x_3 &\leq -3 \\ x_5 - x_4 &\leq -3 \end{aligned}$$

One solution: $x = (-5, -3, 0, -1, -4)$

◀ ▶ ↺ ↻ 🔍

Constraint Graphs

CSCE423/823

Introduction
Bellman-Ford
Algorithm
SSSPs in
Directed
Acyclic Graphs
Dijkstra's
Algorithm
Difference
Constraints
and Shortest
Paths
Linear
Programming
Difference
Constraints and
Feasibility
Constraint
Graphs
Solving
Feasibility with
Bellman-Ford

- Can represent instances of this problem in a **constraint graph** $G = (V, E)$
- Define a vertex for each variable, plus one more: If variables are x_1, \dots, x_n , get $V = \{v_0, v_1, \dots, v_n\}$
- Add a directed edge for each constraint, plus an edge from v_0 to each other vertex:

$$E = \{(v_i, v_j) : x_j - x_i \leq b_k \text{ is a constraint}\} \cup \{(v_0, v_1), (v_0, v_2), \dots, (v_0, v_n)\}$$


- Weight of edge (v_i, v_j) is b_k , weight of (v_0, v_ℓ) is 0 for all $\ell \neq 0$

◀ ▶ ↺ ↻ 🔍

Constraint Graph Example

CSCE423/823

Introduction
Bellman-Ford
Algorithm
SSSPs in
Directed
Acyclic Graphs
Dijkstra's
Algorithm
Difference
Constraints
and Shortest
Paths
Linear
Programming
Difference
Constraints and
Feasibility
Constraint
Graphs
Solving
Feasibility with
Bellman-Ford



◀ ▶ ↺ ↻ 🔍

Solving Feasibility with Bellman-Ford

CSCE423/823

Introduction
Bellman-Ford
Algorithm
SSSPs in
Directed
Acyclic Graphs
Dijkstra's
Algorithm
Difference
Constraints
and Shortest
Paths
Linear
Programming
Difference
Constraints and
Feasibility
Constraint
Graphs
Solving
Feasibility with
Bellman-Ford

- **Theorem:** Let G be the constraint graph for a system of difference constraints. If G has a negative-weight cycle, then there is no feasible solution to the system. If G has no negative-weight cycle, then a feasible solution is

$$x = [\delta(v_0, v_1), \delta(v_0, v_2), \dots, \delta(v_0, v_n)]$$

- For any edge $(v_i, v_j) \in E$, $\delta(v_0, v_j) \leq \delta(v_0, v_i) + w(v_i, v_j) \Rightarrow \delta(v_0, v_j) - \delta(v_0, v_i) \leq w(v_i, v_j)$
- If there is a negative-weight cycle $c = \langle v_i, v_{i+1}, \dots, v_k \rangle$, then there is a system of inequalities $x_{i+1} - x_i \leq w(v_i, v_{i+1})$, $x_{i+2} - x_{i+1} \leq w(v_{i+1}, v_{i+2})$, \dots , $x_k - x_{k-1} \leq w(v_{k-1}, v_k)$. Summing both sides gives $0 \leq w(c) < 0$, implying that a negative-weight cycle indicates no solution
- Can solve this with Bellman-Ford in time $O(n^2 + nm)$

◀ ▶ ↺ ↻ 🔍